



1. MATERIAL: 16 GA. COLD ROLLED STEEL
2. FINISH: ZINC PLATE



BK-1 CONTENTS:		
PART NUMBER	DESCRIPTION	QUANTITY
SPO-466	BRACKET 310 RETMA (SHOWN)	4
	SCREW-P.H. SLOT 8-32 X .38 ZINC	8
	NUT-UNC 2B #8-32 ZINC	8
	WASHER-LOCK #8 ZINC	8
	WASHER-FLAT #8 ZINC	8



JONATHAN®
Engineered Solutions


Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanenr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

DIMENSIONS SHOWN AS:		PART NO. BK-1	DESCRIPTION:
IN. [MM] TOLERANCE UNLESS OTHERWISE NOTED XXX ±.030 XX [±.8] XX ±.010 X [±.25]			
DATE:			
ANGLES ±1°		1/11	


COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

NOTES:

1. MATERIAL: 16 GA. COLD ROLLED STEEL
2. FINISH: ZINC PLATE



ISOMETRIC REPRESENTATION



Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

BK-2 CONTENTS:		
PART NUMBER	DESCRIPTION	QUANTITY
SPO-538	BRACKET RECESSED (SHOWN)	4
	SCREW-P.H. SLOT 8-32 X .38 ZINC	8
	NUT-UNC 2B #8-32 ZINC	8
	WASHER-LOCK #8 ZINC	8
	WASHER-FLAT #8 ZINC	8

AS: DIMENSIONS SHOWN

IN.	MM.
TOLERANCE	TOLERANCE
UNLESS OTHERWISE NOTED	UNLESS OTHERWISE NOTED
.XXX	±.030
.XX	±.8
.X	±.010
	±.25

PART NO.

BK-2

DESCRIPTION:

RETMA BRACKET & HARDWARE KIT
310/370 SERIES

DATE:

1/11

ANGLES

±1°

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

1

2

3


4

5



6

NOTES:

- 1. MATERIAL: 16 GA. COLD ROLLED STEEL
- 2. FINISH: ZINC PLATE




ISOMETRIC REPRESENTATION (SPO-466)




ISOMETRIC REPRESENTATION (SPO-551)

BK-3 CONTENTS:

PART NUMBER	DESCRIPTION	QUANTITY
SPO-466	BRACKET 310 RETMA (SHOWN)	2
SPO-551	BRACKET 310 RETMA (SHOWN)	2
	SCREW-P.H. SLOT 8-32 X .38 ZINC	8
	NUT-UNC 2B #8-32 ZINC	8
	WASHER-LOCK #8 ZINC	8
	WASHER-FLAT #8 ZINC	8



SPO-466



SPO-551




Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

DIMENSIONS SHOWN AS:		PART NO.		DESCRIPTION:	
TOLERANCE UNLESS OTHERWISE NOTED	XX	XX	BK-3	DATE:	RETMA BRACKET & HARDWARE KIT 310/370 SERIES
	XX				
	XX				
	XX				
ANGLES ±1°		1/11		COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS	

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS



NOTES:

- 1. MATERIAL: 16 GA. COLD ROLLED STEEL
- 2. FINISH: ZINC PLATE

ISOMETRIC REPRESENTATION



Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

BK-5 CONTENTS:		
PART NUMBER	DESCRIPTION	QUANTITY
SPO-601-1	BRACKET 330-340 (SHOWN)	2
SPO-601-2	BRACKET 330-340 (OPPOSITE)	2
	SCREW, PH SLOTTED, 8-32 X 3/8 ZINC	8
	NUT-UNC 2B #8-32 ZINC	8
	WASHER-LOCK #8 ZINC	8
	WASHER-FLAT #8 ZINC	8

DESCRIPTION:

PART NO.

BK-5


DATE:

1/11

ANGLES ±1°

330/340 RETMA BRACKET & HARDWARE KIT

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS



NOTES:

1. MATERIAL: 16 GA. COLD ROLLED STEEL
2. FINISH: ZINC PLATE



Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

BK-6 CONTENTS:	
PART NUMBER	DESCRIPTION
SPO-622	BRACKET 375 (SHOWN)
	SCREW-F.H. PHIL 8-32 X .38 ZINC
	NUT-UNC 2B #8-32 ZINC
	WASHER-LOCK #8 ZINC
	WASHER-FLAT #8 ZINC

DESCRIPTION:

DIMENSIONS SHOWN	
AS:	IN.
TOLERANCE	
UNLESS OTHERWISE NOTED	
XXX	±.010
.XX	±.025
.XX	±.030
.X	±.8

PART NO.

BK-6

RETMA BRACKET & HARDWARE KIT
375 SERIES

DATE:


1/11

ANGLES ±1°


COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

NOTES:

1. MATERIAL: 16 GA. COLD ROLLED STEEL
2. FINISH: ZINC PLATE




ISOMETRIC REPRESENTATION (SPO-622)




ISOMETRIC REPRESENTATION (SPO-683)

BK-23 CONTENTS:		
PART NUMBER	DESCRIPTION	QUANTITY
SPO-622	BRACKET 375 (SHOWN)	2
SPO-683	BRACKET 375 EXTENDED (SHOWN)	2
	SCREW-F.H. PHIL 8-32 X .38 ZINC	8
	NUT-UNC 2B #8-32 ZINC	8
	WASHER-LOCK #8 ZINC	8
	WASHER-FLAT #8 ZINC	8



SPO-622

BRACKET PART NUMBER	A	B	C
SPO-683	7.84	1.500	3
SPO-683-1	9.84	1.500	4
SPO-683-2	5.00	2.125	1



SPO-683




Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

DIMENSIONS SHOWN AS:		DESCRIPTION:	
IN.	MILLIMETERS	PART NO.	DESCRIPTION
XX	XX	BK-23	RETMA BRACKET & HARDWARE KIT
XX	XX	DATE:	375 SERIES
XX	XX	1/11	
XX	XX	ANGLES	±1°


COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

NOTES:

1. MATERIAL: .090" 300 SERIES CRES
2. FINISH: PASSIVATE PER MIL-S-5002



ISOMETRIC REPRESENTATION



Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

BK-10 CONTENTS:		
PART NUMBER	DESCRIPTION	QUANTITY
SPO-919	BRACKET UNIVERSAL RECESSED (SHOWN)	4
	SCREW-F.H. PHIL 10-32 X .44	8
	NUT-UNF 2B #10-32 SS	8
	WASHER-LOCK #10 SS	8
	WASHER-FLAT #10 SS THIN	8

DIMENSIONS SHOWN AS:

IN.	MM.
TOLERANCE UNLESS OTHERWISE NOTED	
.XXX	±.010
.XX	±.3
.X	±.030
.X	±.8

PART NO.

BK-10

DESCRIPTION:

UNIVERSAL RECESSED BRACKET KIT
130/145/150 SERIES



DATE:

1/11

ANGLES ±1°

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

1. MATERIAL: .090" 300 SERIES CRES
2. FINISH: PASSIVATE PER MIL-S-5002



JONATHAN[®]
Engineered Solutions

Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan


BK-11 CONTENTS:		
PART NUMBER	DESCRIPTION	QUANTITY
SPO-920	BRACKET UNIVERSAL RETMA (SHOWN)	4
	SCREW-F.H. PHIL 10-32 X .44	8
	NUT-UNF 2B #10-32 SS	8
	WASHER-LOCK #10 SS	8
	WASHER-FLAT #10 SS THIN	8

DIMENSIONS SHOWN IN: [MM]		PART NO. BK-11	DESCRIPTION:
TOLERANCE UNLESS OTHERWISE NOTED .XXX ±.010 .XX [±.3] .XX ±.030 X [±.8]			
		DATE:	1/11

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS


NOTES:

1. MATERIAL: 16 GA. COLD ROLLED STEEL
2. FINISH: ZINC PLATE



ISOMETRIC REPRESENTATION (SPO-440)

SPO-440





ISOMETRIC REPRESENTATION (204161)

204161

BK-20 CONTENTS:

PART NUMBER	DESCRIPTION	QUANTITY
SPO-440	FRONT BRACKET	2
204161	REAR BRACKET	2
	SCREW-P.H. PHIL #10-32 X .38	8
	NUT-UNF 2B #10-32	8
	WASHER-LOCK #10	8
	WASHER-FLAT #10	8





Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

DESCRIPTION:

PART NO.	DESCRIPTION:
BK-20	RETMA BRACKET KIT
	110 SERIES
DATE:	1/11

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

1	2	3	4	5	6
---	---	---	---	---	---

1	2	3	4	5	6
A	NOTES: 1. MATERIAL: .060" THICK STOCK, COLD ROLLED STEEL 2. FINISH: ZINC PLATE BRACKET SPO-399				
	 ISOMETRIC REPRESENTATION				
B	NOTES: 1. MATERIAL: .060" THICK STOCK, COLD ROLLED STEEL 2. FINISH: ZINC PLATE BRACKET SPO-400				
	 ISOMETRIC REPRESENTATION				
C	Irvine Technology Center 410 Exchange, Suite 200 Irvine, CA 92602 Tel: (714) 665-4400 Website: www.jonathanengr.com Engineering • Production • Integration • Subassembly • Logistics United States • Mexico • China • Taiwan				
					
D	120 SERIES SLIDE RETMA BRACKET & HARDWARE KIT				
	COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS				

BK-26 CONTENTS:		
PART NUMBER	DESCRIPTION	QUANTITY
SPO-400	RETMA BRACKET SHOWN	2
SPO-399	RETMA BRACKET SHOWN	2
	MS 35206-244, PH SCREW	8
	MS 35649-282 NUT	8
	AN 960-8 FLAT WASHER	8
	MS 35338-42 LOCK WASHER	8



Part No. BK-26

Date: 1/11

Dimensions Shown AS: IN. [MM]


Tolerance Unless Otherwise Noted: .XXX [X] ±.010 [±.3]

Angles: ±1°

DESCRIPTION:

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

[illegible]



JONATHAN®
Engineered Solutions

Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Website: www.jonathanengr.com
Engineering • Production • Integration • Subassembly • Logistics
United States • Mexico • China • Taiwan

RECESSED BRACKET & HARDWARE KIT
125 SERIES

DIMENSIONS SHOWN		DESCRIPTION:	
AS:	PART NO.	BK-35	
TOLERANCE UNLESS OTHERWISE NOTED		DATE: 1/11	
.XXX	±.010		
.XX	[±.3]		
.XX	+0.030		
.X	[±.8]		
ANGLES ±1°			

BK-35 CONTENTS:		QUANTITY	
PART NUMBER	DESCRIPTION		
SPO-934	BRACKET RECESSED (SHOWN)	4	
	SCREW-F.H. PHIL 6-32 X .38 SS	8	
	NUT-UNC 2B #6-32 SS	8	
	WASHER-LOCK #8 SS	8	
	WASHER-FLAT #8 SS	8	

COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS

Invine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Fax: (714) 368-7002
Website: www.jonathaneigr.com
Engineer - Production - Integration/ Subassembly - Logistics
United States - Mexico - China - Taiwan



JONATHAN
Engineered Solutions

TOLERANCES UNLESS OTHERWISE NOTED		PART NUMBER:		DESCRIPTION:	
.XX	.XXX	ANGLES	HOLES	BK-38	RETMA BRACKET KIT
± .01	± .005 ± .1°	± .005	± .005	DATE: 1/11	128, 170 SERIES
SHEET 1 OF 1				COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS	
				4	5

BK-38 CONTENTS:		
PART NUMBER	DESCRIPTION	QTY
SPO-1131	RETMA BRACKET	4
	SCREW - FHMS #8-32 X .375, SS	8
	NUT - HEX #8-32, SS	8
	WASHER - FLAT #6, SS	8
	WASHER - LOCK #6, SS	8

Invine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel: (714) 665-4400
Fax: (714) 368-7002
Website: www.jonathaneigr.com
Engineer - Production - Integration/ Subassembly - Logistics
United States - Mexico - China - Taiwan




JONATHAN
Engineering Solutions




TOLERANCES UNLESS OTHERWISE NOTED		PART NUMBER:	DESCRIPTION:
.XX ± .01	.XXX ± .005 ± .1° ± .005	BK-40 DATE: 1/11	
SHEET 1 OF 1			COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS
4			5

BK-40 CONTENTS:		
PART NUMBER	DESCRIPTION	QTY
SPO-1151	RECESSED BRACKET	4
	SCREW - FHMS #8-32 X .375, SS	8
	NUT - HEX #8-32, SS	8
	WASHER - FLAT #8, SS	8
	WASHER - LOCK #8, SS	8

[illegible]

[illegible]



	1	2	3	4	5
A					
B					
C					
D	I. BRACKET KIT BK-48 (FOR STEEL SLIDES) INCLUDES: 2 EA. SPO-1226 FRONT BRACKET 2 EA. SPO-1227 REAR BRACKET #8 MOUNTING HARDWARE (STEEL) 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100° 8 EA. #8-32 UNC HEX NUT 8 EA. #8 FLAT WASHER 8 EA. #8 LOCK WASHER				
E	BRACKETS ARE MADE FROM COLD ROLLED STEEL (.060) AND FINISHED IN ZINC	2. BRACKET KIT BK-48-SS (FOR STAINLESS STEEL SLIDES) INCLUDES: 2 EA. SPO-1226-SS FRONT BRACKET 2 EA. SPO-1227-SS REAR BRACKET #8 MOUNTING HARDWARE (STAINLESS STEEL) 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100° 8 EA. #8-32 UNC HEX NUT 8 EA. #8 FLAT WASHER 8 EA. #8 LOCK WASHER			
	BRACKETS ARE MADE FROM 302 OR 304 STAINLESS STEEL (.060) AND FINISHED IN PASSIVATE				

 Irvine Technology Center 410 Exchange, Suite 200 Irvine, CA 92602 Tel: (714) 665-4400 Fax: (714) 368-7002 Website: www.jonathanengr.com Engineer - Production / Integration / Subassembly - Logistics United States - Mexico - China - Taiwan		DESCRIPTION:	
TOLERANCES UNLESS OTHERWISE NOTED	PART NUMBER: BK-48 BK-48-SS	RECESSED BRACKET FOR 510QD/ 510QDG	
.XX .XXX ANGLES ± .010 ± 1°	HOLES ± .005	DATE: 1/11	
SHEET 1 OF 1		COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS	


1	2	3	4	5
---	---	---	---	---

<

<

[illegible]

[illegible]



A

B

C

D

E







A

B





C

D






E

	1	2	3	4	5																			
A																								
B			 SPO-1177																					
C			 SPO-1245																					
D																								
E	BRACKET KIT BK-55 INCLUDES: 2 EA. SPO-1177 FRONT BRACKET 2 EA. SPO-1245 REAR BRACKET 2 EA. MOUNTING PLATE #4 MOUNTING HARDWARE (STAINLESS STEEL, PASSIVATE) 8 EA. #4-40 X .500 FLAT, PHILIPS HEAD 100° 8 EA. #4-40 UNC HEX NUT 8 EA. #4 FLAT WASHER 8 EA. #4 LOCK WASHER BRACKETS ARE MADE FROM 302 OR 304 STAINLESS STEEL (.060) AND FINISHED IN PASSIVATE				JONATHAN® Engineered Solutions Irvine Technology Center 410 Exchange, Suite 200 Irvine, CA 92602 Tel. (714) 665-4400 Fax: (714) 368-7002 Website: www.jonathanengr.com Engineer - Production - Integration/ Subassembly - Logistics United States - Mexico - China - Taiwan <table><tr><th>TOLERANCES UNLESS OTHERWISE NOTED</th><th>PART NUMBER:</th><th colspan="2">DESCRIPTION :</th></tr><tr><td>.XX</td><td rowspan="2">BK-55</td><td>ANGLES</td><td>DATE :</td></tr><tr><td>.XXX</td><td>HOLES</td><td>1/11</td></tr><tr><td>± .03</td><td>± .010</td><td>± 1°</td><td>± .005</td></tr><tr><td colspan="4">SHEET 1 OF 1</td></tr></table> RETMA BRACKET KIT FOR 250 SERIES COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS	TOLERANCES UNLESS OTHERWISE NOTED	PART NUMBER:	DESCRIPTION :		.XX	BK-55	ANGLES	DATE :	.XXX	HOLES	1/11	± .03	± .010	± 1°	± .005	SHEET 1 OF 1			
TOLERANCES UNLESS OTHERWISE NOTED	PART NUMBER:	DESCRIPTION :																						
.XX	BK-55	ANGLES	DATE :																					
.XXX		HOLES	1/11																					
± .03	± .010	± 1°	± .005																					
SHEET 1 OF 1																								

</

	1	2	3	4	5																							
A																												
B	 1. BRACKET KIT BK-57 (FOR STEEL SLIDES) INCLUDES: 2 EA. SPO-1255 FRONT BRACKET 2 EA. SPO-1256 REAR BRACKET #8 MOUNTING HARDWARE (STEEL, ZINC FINISH) 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100° 8 EA. #8-32 UNC HEX NUT 8 EA. #8 FLAT WASHER 8 EA. #8 LOCK WASHER BRACKETS ARE MADE FROM COLD ROLLED STEEL (.060) AND FINISHED IN ZINC 2. BRACKET KIT BK-57-SS (FOR STAINLESS STEEL SLIDES) INCLUDES: 2 EA. SPO-1255-SS FRONT BRACKET 2 EA. SPO-1256-SS REAR BRACKET #8 MOUNTING HARDWARE (STAINLESS STEEL, PASSIVATE) 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100° 8 EA. #8-32 UNC HEX NUT 8 EA. #8 FLAT WASHER 8 EA. #8 LOCK WASHER BRACKETS ARE MADE FROM 302 OR 304 STAINLESS STEEL (.060) AND FINISHED IN PASSIVATE																											
C																												
D																												
E	 Irvine Technology Center 410 Exchange, Suite 200 Irvine, CA 92602 Tel: (714) 665-4400 Fax: (714) 388-7002 Website: www.jonathanengr.com Engineer - Production - Integration/ Subassembly - Logistics United States - Mexico - China - Taiwan <table><tr><td rowspan="3">TOLERANCES UNLESS OTHERWISE NOTED</td><td colspan="2">PART NUMBER:</td><td colspan="2">DESCRIPTION:</td></tr><tr><td colspan="2">BK-57 BK-57-SS</td><td colspan="2">NON RECESSED BRACKET FOR 510QD/510QDG</td></tr><tr><td>.XX ± .03</td><td>.XXX ± .010 ± 2°</td><td>ANGLES ± 2°</td><td>HOLES ± .005</td></tr><tr><td colspan="3">DATE:</td><td colspan="2">1/11</td></tr><tr><td colspan="3">SHEET 1 OF 1</td><td colspan="2">COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS</td></tr></table>				TOLERANCES UNLESS OTHERWISE NOTED	PART NUMBER:		DESCRIPTION:		BK-57 BK-57-SS		NON RECESSED BRACKET FOR 510QD/510QDG		.XX ± .03	.XXX ± .010 ± 2°	ANGLES ± 2°	HOLES ± .005	DATE:			1/11		SHEET 1 OF 1			COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS		5
TOLERANCES UNLESS OTHERWISE NOTED	PART NUMBER:		DESCRIPTION:																									
	BK-57 BK-57-SS		NON RECESSED BRACKET FOR 510QD/510QDG																									
	.XX ± .03	.XXX ± .010 ± 2°	ANGLES ± 2°	HOLES ± .005																								
DATE:			1/11																									
SHEET 1 OF 1			COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS																									

</

	1	2	3	4	5																																				
A																																									
B																																									
C																																									
D																																									
E	1. BRACKET KIT BK-59 (FOR STEEL SLIDES) INCLUDES: 2 EA. SPO-1259 FRONT BRACKET 2 EA. SPO-1260 REAR BRACKET #8 MOUNTING HARDWARE (STEEL, ZINC FINISH) 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100° 8 EA. #8-32 UNC HEX NUT 8 EA. #8 FLAT WASHER 8 EA. #8 LOCK WASHER BRACKETS ARE MADE FROM COLD ROLLED STEEL (.060) AND FINISHED IN ZINC 2. BRACKET KIT BK-59-SS (FOR STAINLESS STEEL SLIDES) INCLUDES: 2 EA. SPO-1259-SS FRONT BRACKET 2 EA. SPO-1260-SS REAR BRACKET #8 MOUNTING HARDWARE (STAINLESS STEEL, PASSIVATE) 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100° 8 EA. #8-32 UNC HEX NUT 8 EA. #8 FLAT WASHER 8 EA. #8 LOCK WASHER BRACKETS ARE MADE FROM 302 OR 304 STAINLESS STEEL (.060) AND FINISHED IN PASSIVATE		 Irvine Technology Center 410 Exchange, Suite 200 Irvine, CA 92602 Tel: (714) 665-4400 Fax: (714) 388-7002 Website: www.jonathanengr.com Engineer - Production - Integration/ Subassembly - Logistics United States - Mexico - China - Taiwan <table> <tr> <td colspan="2">TOLERANCES UNLESS OTHERWISE NOTED</td><td colspan="2">PART NUMBER: BK-59 BK-59-SS</td><td colspan="2">DESCRIPTION:</td></tr> <tr> <td>.XX</td><td>.XXX</td><td>ANGLES</td><td>HOLES</td><td>DATE:</td><td></td></tr> <tr> <td>± .03</td><td>± .010</td><td>± 2°</td><td>± .005</td><td>1/11</td><td></td></tr> <tr> <td colspan="6">SHEET 1 OF 1</td></tr> <tr> <td colspan="6"> NON RECESSED BRACKET FOR 510QD/510QDG </td></tr> <tr> <td colspan="6">COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS</td></tr> </table>			TOLERANCES UNLESS OTHERWISE NOTED		PART NUMBER: BK-59 BK-59-SS		DESCRIPTION:		.XX	.XXX	ANGLES	HOLES	DATE:		± .03	± .010	± 2°	± .005	1/11		SHEET 1 OF 1						NON RECESSED BRACKET FOR 510QD/510QDG						COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS					
TOLERANCES UNLESS OTHERWISE NOTED		PART NUMBER: BK-59 BK-59-SS		DESCRIPTION:																																					
.XX	.XXX	ANGLES	HOLES	DATE:																																					
± .03	± .010	± 2°	± .005	1/11																																					
SHEET 1 OF 1																																									
NON RECESSED BRACKET FOR 510QD/510QDG																																									
COPYRIGHT © 2011 JONATHAN ENGINEERED SOLUTIONS																																									
	1	2	3	4	5																																				




- A

- 五



A



The logo for Jonathan Engineering Solutions. It features the word "JONATHAN" in a large, bold, black, sans-serif font. Below it, the words "Engineering Solutions" are written in a smaller, italicized, black, sans-serif font. The entire logo is positioned in the bottom right corner of the page.

RECESSED BRACKET FOR 510QD/510QDG



SHEET 1 OF 1

4


3



SPO-1224



SPO-1278



1. BRACKET KIT BK-62 (FOR STEEL SLIDES) INCLUDES:
- 2 EA. SPO-1224 FRONT BRACKET
 - 2 EA. SPO-1278 REAR BRACKET
 - #8 MOUNTING HARDWARE (STEEL, ZINC FINISH)
 - 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100°
 - 8 EA. #8-32 UNC HEX NUT
 - 8 EA. #8 FLAT WASHER
 - 8 EA. #8 LOCK WASHER




BRACKETS ARE MADE FROM COLD ROLLED STEEL (.060) AND FINISHED IN ZINC

2. BRACKET KIT BK-62-SS (FOR STAINLESS STEEL SLIDES) INCLUDES:
- 2 EA. SPO-1224-SS FRONT BRACKET
 - 2 EA. SPO-1278-SS REAR BRACKET
 - #8 MOUNTING HARDWARE (STAINLESS STEEL, PASSIVATE)
 - 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100°
 - 8 EA. #8-32 UNC HEX NUT
 - 8 EA. #8 FLAT WASHER
 - 8 EA. #8 LOCK WASHER




BRACKETS ARE MADE FROM 302 OR 304 STAINLESS STEEL (.060) AND FINISHED IN PASSIVATE

Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel. (714) 665-4400
Fax: (714) 368-7002
Website: www.jonathanengr.com
Engineer - Production - Integration/ Subassembly - Logistics
United States - Mexico - China - Taiwan


TOLERANCES UNLESS OTHERWISE NOTED				PART NUMBER: BK-62 BK-62-SS		DESCRIPTION : NON RECESSED BRACKET FOR 510QD/510QDG
				DATE : 03/30/11		
.XX	.XXX	ANGLES	HOLES	SHEET 1 OF 1		
± .03	± .010	± 1°	± .005	COPYRIGHT © 2009 JONATHAN ENGINEERED SOLUTIONS		



SPO-1226



SPO-1279



1. BRACKET KIT BK-63 (FOR STEEL SLIDES) INCLUDES:
- 2 EA. SPO-1226 FRONT BRACKET
 - 2 EA. SPO-1279 REAR BRACKET
 - #8 MOUNTING HARDWARE (STEEL)
 - 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100°
 - 8 EA. #8-32 UNC HEX NUT
 - 8 EA. #8 FLAT WASHER
 - 8 EA. #8 LOCK WASHER

BRACKETS ARE MADE FROM COLD ROLLED STEEL (.060) AND FINISHED IN ZINC

2. BRACKET KIT BK-63-SS (FOR STAINLESS STEEL SLIDES) INCLUDES:
- 2 EA. SPO-1226-SS FRONT BRACKET
 - 2 EA. SPO-1279-SS REAR BRACKET
 - #8 MOUNTING HARDWARE (STAINLESS STEEL)
 - 8 EA. #8-32 X .38 FLAT, PHILIPS HEAD 100°
 - 8 EA. #8-32 UNC HEX NUT
 - 8 EA. #8 FLAT WASHER
 - 8 EA. #8 LOCK WASHER

BRACKETS ARE MADE FROM 302 OR 304 STAINLESS STEEL (.060) AND FINISHED IN PASSIVATE



Irvine Technology Center
410 Exchange, Suite 200
Irvine, CA 92602
Tel. (714) 665-4400
Fax: (714) 368-7002
Website: www.jonathanengr.com
Engineer - Production - Integration/ Subassembly - Logistics
United States - Mexico - China - Taiwan

<i>TOLERANCES UNLESS OTHERWISE NOTED</i>				<i>PART NUMBER :</i> BK-63 BK-63-SS	<i>DESCRIPTION :</i> RECESSED BRACKET FOR 510QD/ 510QDG
<i>.XX</i>	<i>.XXX</i>	<i>ANGLES</i>	<i>HOLES</i>	<i>DATE :</i>	
± .03	± .010	± 1°	± .005	03/30/11	
SHEET 1 OF 1				COPYRIGHT © 2009 JONATHAN ENGINEERED SOLUTIONS	